

CONTENTS

(Full texts are incorporated in CJELSEVIER, a file in the Chemical Journals Online database available on STN International; Abstracted, indexed in: Aluminium Abstracts; Anal. Abstr.; Biol. Abstr.; BIOSIS; Chem. Abstr.; Curr. Contents Phys. Chem. Earth Sci.; Engineered Materials Abstracts; Excerpta Medica; Index Med.; Life Sci.; Mass Spectrum. Bull.; Material Business Alerts; Metals Abstracts; Sci. Citation Index)

Sample extraction processes

- Liquid chromatographic–mass spectrometric determination of genistin and daidzin in soybean food samples after accelerated solvent extraction with modified content of extraction cell
B. Klejdus, R. Mikelová, V. Adam, J. Zehnálek, J. Vacek, R. Kizek and V. Kubáň (Brno, Czech Republic) 1
- Fast method for the determination of total fat and *trans* fatty-acids content in bakery products based on microwave-assisted Soxhlet extraction and medium infrared spectroscopy detection
F. Priego-Capote, J. Ruiz-Jiménez, J. García-Olmo and M.D. Luque de Castro (Córdoba, Spain) 13
- Multi-residue screening of endocrine disrupters chemicals in water samples by stir bar sorptive extraction-liquid desorption-capillary gas chromatography–mass spectrometry detection
P. Serôdio and J.M.F. Nogueira (Lisboa, Portugal) 21

Liquid chromatography

- A new method for the determination of Vitamin B₁₂ in seawater
M. Okbamichael and S.A. Sañudo-Wilhelmy (Stony Brook, NY, USA) 33
- Simultaneous determination of lincomycin and virginiamycin M₁ in swine muscle, liver and kidney by liquid chromatography–electrospray ionization tandem mass spectrometry
D.W.M. Sin, C. Ho, Y.C. Wong, S.K. Ho and A.C.B. Ip (Homantin, China) 39
- Measurement of unbound geniposide in blood, liver, brain and bile of anesthetized rats: an application of pharmacokinetic study and its influence on acupuncture
T.-Y. Tseng (Taipei, Taiwan) and T.-H. Tsai (Taipei, Taiwan and Taichung, Taiwan) 47
- A multiresidue method for the simultaneous determination of ten macrolide antibiotics in human urine based on gradient elution liquid chromatography coupled to coulometric detection (HPLC–ECD)
M.J. González de la Huebra, G. Bordin and A.R. Rodríguez (Geel, Belgium) 53
- A comparison of pulsed amperometric detection and spectrophotometric detection of carbohydrates in cider brandy by liquid chromatography
D. Blanco, D. Muro and M.D. Gutiérrez (Asturias, Spain) 65
- Simultaneous determination of phenyl- and sulfonylurea herbicides in water by solid-phase extraction and liquid chromatography with UV diode array or mass spectrometric detection
R. Carabias-Martínez, E. Rodríguez-Gonzalo, E. Herrero-Hernández and J. Hernández-Méndez (Salamanca, Spain) 71
- Micellar liquid chromatographic determination of nicotinic acid and nicotinamide after precolumn König reaction derivatization
M.-E. Capella-Peiró, S. Carda-Broch, L. Monferrer-Pons and J. Esteve-Romero (Castelló, Spain) 81

Capillary electrophoresis

- Rapid determination of trace levels of tetracyclines in surface water using a continuous flow manifold coupled to a capillary electrophoresis system
L. Nozal, L. Arce, B.M. Simonet, A. Ríos and M. Valcárcel (Córdoba, Spain) 89
- Enantiomeric separations of some acidic compounds with cationic cyclodextrin by capillary electrophoresis
X. Lin, C. Zhu and A. Hao (Jinan, China) 95
- On-line field-amplified sample stacking in capillary electrophoresis for analysis of amitriptyline and its metabolite nortriptyline in plasma
C.-C. Chen, S.-M. Wu, Y.-H. Huang, W.-K. Ko, H.-S. Kou and H.-L. Wu (Kaohsiung, Taiwan) 103

Chemiluminescence

- Time-resolved chemiluminescence: a novel tool for improved emission sequence in stopped-flow analysis. Application to a kinetic study of the oxidation of naloxone
J.A. Murillo Pulgarín, L.F. García Bermejo and J.A. Rubio Aranda (Ciudad Real, Spain) 111
- Flow injection-chemiluminescence determination of paraben preservative in food safety
A. Myint, Q. Zhang, L. Liu and H. Cui (Anhui, PR China) 119
- Chemiluminescent determination of sulfite traces based on the induced oxidation of Ni(II)/tetraglycine complex by oxygen in the presence of luminol: mechanistic considerations
R.L. Bonifácio and N. Coichev (Sao Paulo, Brazil) 125

Sensors and electroanalytical chemistry	
Electrochemical determination of hydrogen sulfide at carbon nanotube modified electrodes N.S. Lawrence, R.P. Deo and J. Wang (Las Cruces, NM, USA)	131
Tunable plasmonic glucose sensing based on the dissociation of Con A-aggregated dextran-coated gold colloids K. Aslan, J.R. Lakowicz and C.D. Geddes (Baltimore, MD, USA)	139
Metal ion-mediated molecular-imprinting polymer for indirect recognition of formate, acetate and propionate L. Wu and Y. Li (Beijing, PR China)	145
Gas-sensing system based on the cyclic temperature. Further characterization by the second harmonic perturbation S. Nakata, H. Okunishi and S. Inooka (Nara, Japan)	153
Immunoassay	
Development and characterization of new monoclonal antibodies specific for coplanar polychlorinated biphenyls T.R. Glass, N. Ohmura, H. Saiki (Chiba, Japan), K. Sawadaishi, C. Kataoka, Y. Takagi (Kyoto, Japan) and T. Ohiwa (Tokyo, Japan)	161
Simple, rapid, and sensitive thyroid-stimulating hormone immunoassay using europium(III) nanoparticle label A.-M. Pelkkikangas, S. Jaakohuhta, T. Lövgren and H. Härmä (Turku, Finland)	169
Comparison of immunoassay and gas chromatography/mass spectrometry methods for measuring 3,5,6-trichloro-2-pyridinol in multiple sample media J.C. Chuang (Columbus, OH, USA), J.M. Van Emon, A.W. Reed (Las Vegas, NV, USA) and N. Junod (Columbus, OH, USA)	177
Chelating polymers	
Comparison of immobilized poly-L-aspartic acid and poly-L-glutamic acid for chelation of metal cations L. Malachowski and J.A. Holcombe (Austin, TX, USA)	187
Atomic absorption spectrometry	
Determination of tellurium in lead and lead alloy using flow injection-hydride generation atomic absorption spectrometry M.F. Mesko (Santa Maria, Brazil), D. Pozebon (Porto Alegre, Brazil), É.M.M. Flores and V.L. Dressler (Santa Maria, Brazil)	195
Electrothermal atomic absorption spectrometric determination of vanadium(V) in soil after leaching with Na ₂ CO ₃ K.L. Mandiwana and N. Panichev (Rosslyn, South Africa)	201
Raman spectroscopy	
Raman spectroscopy of natural oxalates R.L. Frost (Brisbane, Australia)	207
Uranium determination	
Feasibility study of solid sampling electrothermal vaporization inductively coupled plasma mass spectrometry for the determination of particulate uranium in swipe samples from nuclear facilities C.G. Lee, K. Iguchi, K. Esaka, M. Magara, F. Esaka, S. Sakurai, K. Watanabe and S. Usuda (Ibaraki-ken, Japan)	215
Rapid determination of uranium activity and concentration in water by alpha liquid scintillation with α/β discrimination J. Aupiais (Bruyères-le-Châtel, France)	221
X-ray diffraction	
A general method for the recovery of pure powder XRD patterns from complex mixtures using no a priori information. Application of band-target entropy minimization (BTEM) to materials characterization of inorganic mixtures L. Guo, F. Kooli and M. Garland (Singapore, Singapore)	229
Analysis of a mixture containing ampicillin anhydrate and ampicillin trihydrate by thermogravimetry, oven heating, differential scanning calorimetry, and X-ray diffraction techniques C.-L. Liu, S.-M. Wu, T.-C. Chang, M.-L. Liu and H.-J. Chiang (Hualien Hsien, Taiwan)	237
Authors Index	245
Calendar of forthcoming meetings	N1

CONTENTS
Direct

This journal is part of **ContentsDirect**, the *free* alerting service which sends tables of contents by e-mail for Elsevier books and journals. You can register for **ContentsDirect** online at: <http://contentsdirect.elsevier.com>



Full text of this journal is available, on-line from **ScienceDirect**. Visit www.sciencedirect.com for more information.

Vol. 517

Iss. 1 - 2

JUL 26

2004